ELSEVIER

Volumes 317–318, 12 April 2001

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Preface 1

Plenary and Invited Lectures

Anisotropy and spin-reorientations in Co-rich rare earth compounds 2
K.H.J. Buschow, S.J. Hu, O. Tegus, L. Zhang, E. Brück and F.R. de Boer (Amsterdam, Netherlands)

Single molecule magnets: a new class of magnetic materials 8
D. Gatteschi (Florence, Italy)

Theoretical investigation of $L1_0$-disorder phase equilibria in Fe–Pd alloy system 13
T. Mohri (Sapporo, Japan), T. Horiuchi (Ibaraki, Japan), H. Uzawa, M. Ibaragi (Sapporo, Japan), M. Igarashi and F. Abe (Ibaraki, Japan)

Phase equilibria and diffusion paths in the Ti–Al–O–N system 19
H.J. Seifert, A. Kussmaul and F. Aldinger (Stuttgart, Germany)

Binary, ternary and quaternary compound former/nonformer prediction via Mendeleev number 26
P. Villars (Vitznau, Switzerland), K. Brandenburg, M. Berndt (Bonn, Germany), S. LeClair, A. Jackson (Wright-Patterson, USA), Y.-H. Pao, B. Igelnik (Cleveland, OH, USA), M. Oxley (Wright-Patterson, USA), B. Bakshi (Columbus, OH, USA), P. Chen (Fairborn, OH, USA) and S. Iwata (Tokyo, Japan)

Single crystal neutron diffraction investigations of the crystal and magnetic structures of $R_2Fe_{14}B$ (R=Y, Nd, Ho, Er) 39
P. Wolfers, M. Bacmann and D. Fruchart (Grenoble, France)

^{57}Fe Mössbauer spectroscopy study of the AFe_xAl_{12-x} intermetallics (A=Y, Tm, Lu and U, $4 \leq x \leq 4.3$) 44
J.C. Waerenborgh, P. Salamakha, O. Sologub, A.P. Gonçalves (Sacavém, Portugal), S. Sério, M. Godinho (Lisboa, Portugal) and M. Almeida (Sacavém, Portugal)

Crystallochemistry and Kondo-like behaviour of the thorium and uranium arsenoselenides 52
Z. Henkie, A. Pietraszko, A. Wojakowski, L. Kępiński and T. Cichorek (Wrocław, Poland)

Hydrides and Reactions with Hydrogen

Neutron diffraction study on the deuterium site occupation and magnetic structure of the $Nd_2(Fe,Ga)_{14}BD_y$ compounds 60
C. Chacon, O. Isnard and E. Suard (Grenoble, France)

Hydrogen absorption properties of CeNiAl: influence on its crystal structure and magnetic behaviour 67
J.-L. Bobet, B. Chevalier, B. Darriet, M. Nakhl, F. Weill and J. Etourneau (Pessac, France)

Hydrogen absorption in vanadium- and niobium-based topologically close-packed structures 71
J.-M. Joubert and A. Percheron-Guégan (Thiais, France)

Investigation of the vacancy-ordered phases in the Pd–H system 77
S. Miraglia, D. Fruchart, E.K. Hlil, S.S.M. Tavares (Grenoble, France) and D. Dos Santos (Rio de Janeiro, Brazil)

Structural and magnetic properties of RFe_2H_5 hydrides (R=Y, Er) 83
V. Paul-Boncour (Thiais, France), S.M. Filipek (Warsaw, Poland), A. Percheron-Guégan (Thiais, France), I. Marchuk and J. Pielaszek (Warsaw, Poland)

Effect of interstitial hydrogen on UFe_xAl_{12-x} 88
S. Sério (Lisbon, Portugal), J.C. Waerenborgh, A.P. Gonçalves, M. Almeida (Sacavém, Portugal), D. Fruchart, S. Miraglia (Grenoble, France) and M. Godinho (Lisbon, Portugal)

Neutron diffraction studies of Zr-containing intermetallic hydrides. Cubic $Zr_3V_3B_{0.24}O_{0.36}D_{8.0}$ and $Zr_3V_3B_{0.40}O_{0.60}D_{6.4}$ with filled η_1-type structures 92
V.A. Yartys (Kjeller, Norway and Lviv, Ukraine), A.B. Riabov (Lviv, Ukraine) and B.C. Hauback (Kjeller, Norway)

Oxydes and Reactions with Oxygen

Characterization of RuO_2 and IrO_2 films deposited on Si substrate 98
P.C. Liao, Y.S. Huang (Taipei, Taiwan, Republic of China) and K.K. Tiong (Keelung, Taiwan, Republic of China)

Elsevier Science B.V.

Vanadium oxides V_2O_5 and NaV_2O_5 under high pressures: Structural, vibrational, and electronic properties 103
I. Loa, A. Grzechnik (Stuttgart, Germany), U. Schwarz (Stuttgart and Dresden, Germany), K. Syassen (Stuttgart, Germany), M. Hanfland (Grenoble, France) and R.K. Kremer (Stuttgart, Germany)

Charge order and quasi-one-dimensional behavior in $\beta(\beta')$-$A_xV_2O_5$ 109
Y. Ueda, H. Yamada, M. Isobe and T. Yamauchi (Chiba, Japan)

Structure, magnetism and electrical conductivity of a new ternary manganese oxide: $BaMn_3O_6$ 115
K. Wakiya, H. Sato, A. Miyazaki, T. Enoki, M. Isobe and Y. Ueda (Tokyo, Japan)

Synthesis, crystal structure and TEM study of the new hollandite-type $Ba_{\sim 8/7}Mo_8O_{16}$ 120
N. Barrier, P. Gougeon (Rennes, France) and R. Retoux (Le Mans, France)

Synthesis, characterization, electrical and magnetic properties of $CrTa_2O_6$ and $CrNb_2O_6$ 127
V. Guillen-Viallet, J.F. Marucco (Orsay and Gif sur Yvette, France) and M. Ghysel (Orsay, France)

$GaMgMo_4O_7$ and $Fe_2Mo_4O_7$ — two low-valent molybdenum oxides with a fully ordered $Sc_{0.75}Zn_{1.25}Mo_4O_7$ type structure . . 132
M. Hainz and H. Boller (Linz, Austria)

Magnetic and transport properties of the solid solution system $La_{2-x}Sr_xMnRuO_6$ with double perovskite structure 136
M. Fang (Kyoto, Japan and Hangzhou, People's Republic of China), M. Kato, K. Yoshimura and K. Kosuge (Kyoto, Japan)

Studies of the effect of internal and hydrostatic pressure on the structure and transport properties of $La_{2/3}Ca_{1/3}MnO_3$ thin films 141
G.M. Gross, R.B. Praus (Stuttgart, Germany), S. Yaghoubzadeh, F.S. Razavi (St. Cathrines, Canada) and H.-U. Habermeier (Stuttgart, Germany)

Magnetic and electrical properties of $Nd_{0.66}(Sr_{1-y}Li_y)_{0.34}MnO_3$ manganites 145
N. Hamad, I. El-Kassab, L. Haupt, N. Kasper, K. Bärner, G.H. Rao (Göttingen, Germany), U. Sondermann (Marburg, Germany) and E. Gmelin (Stuttgart, Germany)

Electronic structure of a hole doped oxide with a quasi-1D crystal structure $Y_{2-x}(Sr,Ca)_xBaNiO_5$ 149
F.-X. Lannuzel, E. Janod, C. Payen, G. Ouvrard, P. Moreau, O. Chauvet (Nantes, France), P. Parent and C. Laffon (Orsay, France)

Effects of Li^+ inclusion on the magnetic properties of mixed Cr/Fe oxide pillared α-zirconium phosphate materials 153
M. Gabás, J.-R. Ramos-Barrado, A. Jiménez-López, E. Rodríguez-Castellón and J. Mérida-Robles (Málaga, Spain)

Surface characterisation of spinels with Ti(IV) distributed in tetrahedral and octahedral sites 160
M.A. Arillo, M.L. López, C. Pico, M.L. Veiga (Madrid, Spain), A. Jiménez-López and E. Rodríguez-Castellón (Málaga, Spain)

$S=1/2$ antiferromagnetic chains and dimers on hole-doped edge-sharing CuO_2 chains 164
Z. Hiroi (Chiba, Japan), M. Okumura, T. Yamada and M. Takano (Kyoto, Japan)

Spin-1/2 quantum antiferromagnetic chains with adjustable superexchange interactions found in $BaCu_2(Si_{1-x}Ge_x)_2O_7$ 171
T. Yamada, M. Takano (Kyoto, Japan) and Z. Hiroi (Chiba, Japan)

Quantized magnetization plateaux in the orthogonal dimer system $SrCu_2(BO_3)_2$ 177
H. Kageyama (Tokyo, Japan), Y. Narumi, K. Kindo (Osaka, Japan), K. Onizuka, Y. Ueda and T. Goto (Tokyo, Japan)

Orthoborates processed by soft routes: correlation luminescence structure 183
G. Bertrand-Chadeyron, M. El-Ghozzi, D. Boyer, R. Mahiou and J.C. Cousseins (Aubière, France)

Chalcogenides and Reactions with Chalcogens

New synthetic routes to transition metal ternary nitrides and sulfides 186
M.G. Barker, M. Grazia Francesconi, P.M. O'Meara and C.F. Baker (Nottingham, UK)

Lanthanide polysulfides at high pressures 190
A. Grzechnik (Stuttgart, Germany)

Nickel Chevrel phase supported on porous alumina 195
V. Harel-Michaud, G. Pesnel-Leroux, L. Burel, R. Chevrel (Rennes, France), C. Geantet, M. Cattenot and M. Vrinat (Villeurbanne, France)

Electrical properties and phase transitions of $TlCu_3S_2$ and $BaCu_2S_2$ 201
T. Ohtani, H. Takeuchi, K. Koh and T. Kaneko (Okayama, Japan)

Electrical and optical anisotropic properties of rhenium-doped molybdenum disulphide 208
K.K. Tiong (Keelung, Taiwan, ROC), Y.S. Huang (Taipei, Taiwan, ROC) and C.H. Ho (Taipei, Taiwan, ROC)

Thermodynamic and magnetic properties of intercalated layered compounds Fe_xNbS_2 213
T. Tsuji, Y. Yamamura, M. Koyano, S. Katayama (Ishikawa, Japan) and M. Ito (Yokohama, Japan)

Preparation and crystal structures of Cu_2HfS_3 217
H. Wada, A. Sato and H. Nozaki (Ibaraki, Japan)

In-plane anisotropy of the optical and electrical properties of ReS_2 and $ReSe_2$ layered crystals 222
C.H. Ho, Y.S. Huang (Taipei, Taiwan, ROC) and K.K. Tiong (Keelung, Taiwan, ROC)

Neutron diffraction study of magnetic ordering of two binary uranium tellurides U_3Te_5 and U_2Te_3 227
O. Tougait (Rennes, France), G. André, F. Bourée (Gif-sur-Yvette, France) and H. Noël (Rennes, France)

Heat capacity of $(Cr_{1-x}Ni_x)_3Te_4$ (x=0–0.2) at high temperatures 233
T. Tsuji (Ishikawa, Japan) and K. Yasui (Fukushima, Japan)

Pnictides and Reactions with Pnicogens

Layered ternary transition metal nitrides; synthesis, structure and physical properties 237
D.H. Gregory, P.M. O'Meara, A.G. Gordon, D.J. Siddons, A.J. Blake, M.G. Barker (Nottingham, UK), T.A. Hamor and P.P. Edwards (Birmingham, UK)

High temperature–high pressure nitridation of β-$Ti_{63}Nb_{37}$ by means of the chemical oven technique 245
M. Ferretti and A. Martinelli (Genova, Italy)

Structural chemistry, magnetic and electrical properties of ternary rare-earth nickel phosphides, $R_{20}Ni_{42}P_{30}$ (R=Ce, Sm) 250
V. Babizhetskyy, F. Weitzer and K. Hiebl (Wien, Austria)

Magnetization curves in MnRhP around the Curie temperature 254
F. Ono, H. Inoue, S. Wei, A. Takahashi (Okayama, Japan), S. Endo (Osaka and Saitama, Japan), N. Fujii (Osaka, Japan), T. Kanomata (Tagajyo, Japan), R. Zach (Cracow, Poland) and A. Iwase (Ibaraki, Japan)

NMR properties of CoRhP: mixing between Co and Rh sites 258
H. Nishihara, T. Yoshida (Otsu, Japan), T. Matsukawa, T. Kanomata (Tagajo, Japan), G. Strijkers, W.J.M. de Jonge (Eindhoven, The Netherlands), F. Wagatsuma and T. Shinohara (Sendai, Japan)

A comparative analysis of the three polymorphic structures H_3, O_{10} and H_{12} of FeRhP 262
M. Artigas (Grenoble, France and Zaragoza, Spain), M. Bacmann, D. Fruchart (Grenoble, France), R. Fruchart (Saint Martin d'Hères, France), M. Guillot and P. Vulliet (Grenoble, France)

Crystal structure, magnetic and electronic properties of $Co_xFe_{1-x}MnP$ system 266
B. Średniawa, R. Zach, P. Fornal, R. Duraj, A. Bombik, J. Tobola, S. Kaprzyk, S. Niziol (Cracow, Poland), D. Fruchart, M. Bacmann, R. Fruchart (Grenoble, France) and J. Stanek (Cracow, Poland)

Structure and magnetism in the polymorphous MnFeAs 274
J. Tobola (Kraków, Poland), M. Bacmann, D. Fruchart, P. Wolfers (Grenoble, France), S. Kaprzyk (Kraków, Poland) and A.-A. Koumina (Marrakech, Morocco)

V–Mn–{Sn,Sb} ternary systems 280
A.V. Tkachuk, Yu.K. Gorelenko, Yu.V. Stadnyk and O.I. Bodak (Lviv, Ukraine)

Crystal structure of Zr_2CuSb_3 and related compounds 284
N. Koblyuk, G. Melnyk, L. Romaka, O. Bodak (Lviv, Ukraine) and D. Fruchart (Grenoble, France)

Structural and electrical properties of $Co_{1-x}Ru_xSb_2$ 287
T. Harada, T. Kanomata, T. Suzuki (Tagajo, Japan), H. Yoshida and T. Kaneko (Sendai, Japan)

Electrical resistivity and magnetism in some ternary intermetallics 293
R.V. Dremov (Prague, Czech Republic), N. Koblyuk, Ya. Mudryk, L. Romaka (Lviv, Ukraine) and V. Sechovský (Prague, Czech Republic)

Spin reorientation in MnBi 297
H. Yoshida, T. Shima, T. Takahashi, H. Fujimori, S. Abe, T. Kaneko (Sendai, Japan), T. Kanomata and T. Suzuki (Tagajo, Japan)

Compounds and Alloys with C, Si, Ge and Sn

Magnetic properties and electronic structure of CeB_2C_2 302
K. Suzuki, M. Kato, R. Watanuki (Yokohama, Japan) and T. Terashima (Tsukuba, Japan)

Magnetic heat capacity and electrical resistivity of RCoC (R=Dy, Ho, Er, Y) 306
K. Suzuki, T. Murayama and M. Eguchi (Yokohama, Japan)

Miscibility of binary VC–MC carbides in quaternary Fe–V–M–C alloys 311
S. Hamar-Thibault (Saint Martin d'Hères, France), L. Adnane and R. Kesri (Bab Ezzouar, Alger, Algeria)

Crystal growth by molten metal flux method and properties of manganese silicides 315
S. Okada (Tokyo, Japan), T. Shishido (Sendai, Japan), Y. Ishizawa (Iwaki, Japan), M. Ogawa (Atsugi, Japan), K. Kudou (Yokohama, Japan), T. Fukuda (Sendai, Japan) and T. Lundström (Uppsala, Sweden)

Isothermal cross-section of the Ce–Pd–Si phase diagram at 600°C 320
Yu.D. Seropegin, A.V. Gribanov, O.L. Kubarev, A.I. Tursina (Moscow, Russia) and O.I. Bodak (Lviv, Ukraine)

New ternary silicide of cerium and palladium Ce_3Pd_5Si 324
A.V. Gribanov, Yu.D. Seropegin, O.L. Kubarev (Moscow, Russia), L.G. Akselrud and O.I. Bodak (L'viv, Ukraine)

Electronic structure of $MnSi_{0.7}Al_{1.3}$ and related transition metal alloys with the $TiSi_2$ structure 327
P. Pécheur (Nancy, France), J. Tobola (Nancy, France and Krakow, Poland), H. Kenzari (Nancy, France), B. Malaman and R. Welter (Vandoeuvre-les-Nancy, France)

Structural study of $UCuGe_{1.75}$ by X-ray and electron diffraction 331
B. Darriet, B. Chevalier, J. Darriet and S. Pechev (Pessac, France)

Magnetism of $U_4(Ru_{1-x}Os_x)_7Ge_6$ solid solutions 336
E. Colineau, F. Wastin, E.J. Higgins and J. Rebizant (Karlsruhe, Germany)

Electronic structure of RTX (R=Pr, Nd; T=Cu, Ag, Au; X=Ge, Sn) compounds 340
A. Szytuła, D. Fus, B. Penc (Reymonta, Poland) and A. Jezierski (Smoluchowskiego, Poland)

Ternary Hf–Co–Sn system 347
L. Romaka, Yu.V. Stadnyk and O. Bodak (Lviv, Ukraine)

Phase equilibria and magnetic studies in the ternary system Ce–Au–Sn 350
P. Boulet (Rennes, France, Genova, Italy and Wien, Austria), D. Mazzone (Genova, Italy), H. Noël (Rennes, France), P. Rogl (Wien, Austria) and R. Ferro (Genova, Italy)

Synthesis, crystal structure and physical properties of ZrNiSn semiconductor doped with Mn 357
O.I. Bodak (L'viv, Ukraine), B.V. Padlyak (L'viv, Ukraine and Gdańsk, Poland), Yu.V. Stadnyk (L'viv, Ukraine), J. Pierre (Grenoble, France), A.V. Tkachuk, L.P. Romaka and Yu.K. Gorelenko (L'viv, Ukraine)

New phases in the ternary Cu–Ti–Sn system 363
S. Hamar-Thibault and C.H. Allibert (Saint-Martin-d'Hères, France)

Compounds and Alloys with B, Al, Ga and In

The peculiarities of the structure formation in directionally crystallized eutectics EuB_6–MeB_2 367
Yu. Paderno, V. Paderno, N. Shitsevalova and V. Filippov (Kiev, Ukraine)

The effect of microstructure on hardness measurements in the aluminium-rich corner of the Al–Ni–Cr system 372
D.N. Compton, L.A. Cornish and M.J. Witcomb (Johannesburg, South Africa)

Phase relations in the Al-rich corner of the Ti–Ni–Al system 379
J.J. Ding, P. Rogl and H. Schmidt (Wien, Austria)

Electronic structure and ESR in GdTAl ternary compounds; T=3d, 4d transition metals 385
J. Jarosz and E. Talik (Katowice, Poland)

Magnetic and electrical properties of $Fe_{2+x}V_{1-x}Al$ 390
T. Kanomata, T. Sasaki, T. Hoshi, T. Narita, T. Harada (Tagajo, Japan), H. Nishihara, T. Yoshida (Otsu, Japan), R. Note, K. Koyama, H. Nojiri, T. Kaneko and M. Motokawa (Sendai, Japan)

Magnetic and electrical properties of the $UCu_{4-x}Mn_xAl_8$ alloys 395
W. Suski and K. Wochowski (Wroclaw, Poland)

Phase diagram of the Ti–Ga system 398
N.V. Antonova and L.A. Tretyachenko (Kiev, Ukraine)

Magnetic properties of Co_2TiGa compound 406
T. Sasaki, T. Kanomata, T. Narita (Tagajo, Japan), H. Nishihara (Otsu, Japan), R. Note, H. Yoshida and T. Kaneko (Sendai, Japan)

Structural characterisation and corrosion resistance of Ga-precious metal alloys formed by liquid–solid reaction at room temperature 411
M.R. Pinasco (Genoa, Italy), E. Angelini (Turin, Italy), E. Cordano (Genoa, Italy) and F. Rosalbino (Turin, Italy)

The effect of Th substitution for U in the heavy fermion U_2Pt_2In 419
L.C.J. Pereira, J.C. Waerenborgh (Sacavém, Portugal), I. Catarino, G. Bonfait (Sacavém and Monte de Caparica, Portugal), M. Godinho (Lisboa, Portugal) and M. Almeida (Sacavém, Portugal)

Transition-Transition Metal Alloys

Low temperature formation of nanocrystalline Fe–W and Fe–Mo compounds 423
A.A. Novakova, T.Yu. Kiseleva, V.V. Lyovina, D.V. Kuznetsov and A.L. Dzidziguri (Moscow, Russia)

Theoretical study of structural stability and magnetism in the Pd_3Mn antiphase 428
J. Tobola (Nancy, France and Kraków, Poland) and P. Pécheur (Nancy, France)

Rare Earth Compounds and Systems

Thermodynamic optimization of the systems Mn–Gd and Mn–Y using new experimental results 433
J. Gröbner (Clausthal-Zellerfeld, Germany), A. Pisch (St. Martin d'Hères, France) and R. Schmid-Fetzer (Clausthal-Zellerfeld, Germany)

Magnetism in $HoCo_2$ and $ErCo_2$ under high pressure 438
O. Syshchenko (Higashi-Hiroshima, Japan and Prague, Czech Republic), T. Fujita (Higashi-Hiroshima, Japan), V. Sechovský, M. Diviš (Prague, Czech Republic) and H. Fujii (Higashi-Hiroshima, Japan)

$R_9Mg_{34}Zn_{57}$ icosahedral quasicrystals: The tuning of a model spin glass 443
P.C. Canfield and I.R. Fisher (Ames, IA, USA)

Comparison of the interaction of components in the La–Co–Zn and Ce–Co–Zn ternary systems at 470 K 448
O.Ya. Makaryk, G.S. Dmytriv, D.G. Kevorkov and V.V. Pavlyuk (L'viv, Ukraine)

Magnetic properties of $(Ho,Y)_6Fe_{23}$ intermetallic compounds 450
J. Ostorero (Thiais, France)

Phase stability, structure and magnetic properties of $R_3(Fe,TM)_{29}$, (R=Gd, Dy, Er, Y and TM=V, Ti) compounds with disordered structures 455
V. Psycharis (Attiki, Greece), M. Gjoka (Attiki and Ioannina, Greece), C. Christides (Patras, Greece) and D. Niarchos (Attiki, Greece)

Magnetic properties of a $DyCo_{10}V_2$ single crystal 459
O. Tegus (Amsterdam, The Netherlands and Huhhot, PR China), Y. Janssen, E. Brück, A.A. Menovsky, F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

Systematic composition dependence in $YbCu_{5-x}Au_x$ from dense Kondo to antiferromagnetic system through quantum critical point around x=0.2–0.4 465
K. Yoshimura, T. Kawabata, N. Sato (Kyoto, Japan), N. Tsujii, T. Terashima, C. Terakura, G. Kido (Tsukuba, Japan) and K. Kosuge (Kyoto, Japan)

Magnetic characteristics of $Er(Mn_{12-x}Fe_x)$ compounds (x=7, 9) determined by X-ray magnetic circular dichroism 470
M. Morales, M. Bacmann (Grenoble, France), Ch. Baudelet, A. Delobbe (Orsay, France), D. Fruchart (Grenoble, France), Ch. Giorgetti, G. Krill (Orsay, France) and P. Wolfers (Grenoble, France)

The interaction of palladium with cobalt and erbium at 600°C 475
J.I. Rousnyak, N.A. Tinikashvili, M.V. Raevskaya and A.V. Gribanov (Moscow, Russia)

Second Italian Workshop on Alloys and Compounds

Foreword: II Italian Workshop on Alloys and Intermetallic Compounds 478

Phase Identification and Equilibria

Metastable structures in α–β′ brass 479
S. Gialanella and L. Lutterotti (Mesiano (Trento), Italy)

Defect structures in FeAl B2 alloys 485
S. Gialanella (Mesiano-Trento, Italy), R.S. Brusa (Povo (Trento), Italy), W. Deng (Nanning, China), F. Marino (Torino, Italy), T. Spataru and G. Principi (Padova, Italy)

Cu_xHg_y: a puzzling compound 491
M.M. Carnasciali and G.A. Costa (Genova, Italy)

Smith thermal analysis of selected Pr–Mg alloys 497
A. Saccone, D. Macciò (Genoa, Italy), J.A.J. Robinson, F.H. Hayes (Manchester, UK) and R. Ferro (Genoa, Italy)

Effect of Cu and Zn on the melting and transformation temperatures of Pr and Gd 503
A. Saccone, A.M. Cardinale, S. Delfino, G. Cacciamani and R. Ferro (Genova, Italy)

The isothermal section at 400°C of the Yb–Ag–Sn ternary system 513
G. Zanicchi, D. Mazzone, P. Riani, R. Marazza and R. Ferro (Genova, Italy)

Ternary intermetallic RAgGa, RAuGa alloys (R=light rare earth and Yb) 521
D. Rossi and R. Ferro (Genoa, Italy)

Thermodynamics

Thermodynamic stabilities of intermediate phases in the Ca–Si system 525
S. Brutti, A. Ciccioli, G. Balducci, G. Gigli (Roma, Italy), P. Manfrinetti and M. Napoletano (Genova, Italy)

Thermodynamic investigation of samarium–nickel alloys 532
G. Borzone, N. Parodi, R. Raggio and R. Ferro (Genoa, Italy)

Physical Properties

A quantum phase transition driven by the electron lattice interaction gives high T_C superconductivity 537
A. Bianconi, S. Agrestini, G. Bianconi, D. Di Castro and N.L. Saini (Roma, Italy)

On the change of electronic states at the Fermi level by Ce doping in the intermetallic $LaRu_2$ 542
N.L. Saini, S. Agrestini, D. Di Castro (Roma, Italy), Z. Wu (Roma, Italy and Beijing, China), A. Bianconi, D. Gozzi, G. Balducci (Roma, Italy), M. Battisti and A. Marcelli (Frascati, Italy)

Magnetic structure of $Nd_7Co_6Al_7$ 546
O. Moze (Modena, Italy), W. Kockelmann (Bonn, Germany), F. Canepa, P. Manfrinetti and A. Palenzona (Genova, Italy)

Physical properties of Ce_2CoSn_2 550
S. Cirafici, F. Canepa, P. Manfrinetti and M. Napoletano (Genova, Italy)

Ferrimagnetism in $Tb_3Co_8Sn_4$ intermetallic compound 556
F. Canepa, P. Manfrinetti, M. Napoletano and S. Cirafici (Genova, Italy)

Crystallographic and magnetic behaviour of RCu_9Sn_4 and $RCu_{9.4}Sn_{3.6}$ (R=La to Nd) compounds 560
S. Singh (Mumbai, India), M.L. Fornasini, P. Manfrinetti, A. Palenzona (Genova, Italy), S.K. Dhar and P.L. Paulose (Mumbai, India)

A Mössbauer study of the new phases $Th_4Fe_{13}Sn_5$ and $ThFe_{0.22}Sn_2$ 567
G. Principi, T. Spataru, A. Maddalena (Padova, Italy), A. Palenzona, P. Manfrinetti (Genova, Italy), P. Blaha, K. Schwarz (Vienna, Austria), V. Kuncser and G. Filoti (Bucharest, Romania)

Chemical Properties

The high temperature oxidation of a two-phase Ag–Y alloy under 1 and 10^{-20} atm O_2 573
Y. Niu (Shenyang, China and Genova, Italy), F. Gesmundo (Genova, Italy), M. Al-Omary (Sharjah, United Arab Emirates) and J. Song (Shenyang, China)

Oxidation of a ternary Cu–Ni–Fe alloy under low oxygen pressures at 800–900°C 578
Y.S. Li (Shenyang and Dalian, China), Y. Niu (Shenyang, China and Genova, Italy) and F. Gesmundo (Genova, Italy)

Getter potentialities of some intermetallics: $ZrAl_2$, $ZrAl_3$ and $CeNi_5$ 583
M. Ferrini and D. Gozzi (Rome, Italy)

Nitric oxide reduction catalyzed by amorphous copper–zirconium and copper–titanium alloys 590
M. Dabalà, P. Canu and M. Magrini (Padova, Italy)

Electrochemical behaviour of Cu–Zr and Cu–Ti glassy alloys 595
K. Brunelli, M. Dabalà (Padova, Italy), R. Frattini (Venice, Italy), G. Sandonà and I. Calliari (Padova, Italy)

Electrochemical behavior of Au–Gd alloys 603
F. Rosalbino, E. Angelini, S. Spriano, C. Antonione (Torino, Italy), S. Delfino, D. Macciò and A. Saccone (Genoa, Italy)

Electrochemical and corrosion behaviour of cold rolled AISI 301 in 1 M H_2SO_4 607
A. Barbucci, M. Delucchi, M. Panizza, M. Sacco and G. Cerisola (Genoa, Italy)

On the kinetics of chromium electrodeposition on copper electrodes 612
P. Baraldi, E. Soragni, C. Fontanesi and V. Ganzerli (Modena, Italy)

Author Index of Volumes 317–318 619

Subject Index of Volumes 317–318 621